

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

SSIP Overview

Institution ID

800000041466

1. Please enter the name of the person to contact regarding this submission.

Joseph Reilly

- 1a. Please enter their phone number for follow up questions.

6076543858

- 1b. Please enter their e-mail address for follow up contact.

Reilly.j.n@gmail.com

2. Please indicate below whether this is the first submission, a new or supplemental submission or an amended submission of an approved Smart Schools Investment Plan.

Supplemental submission

3. All New York State public school districts are required to complete and submit a District Instructional Technology Plan survey to the New York State Education Department in compliance with Section 753 of the Education Law and per Part 100.12 of the Commissioner's Regulations. Districts that include investments in high-speed broadband or wireless connectivity and/or learning technology equipment or facilities as part of their Smart Schools Investment Plan must have a submitted and approved Instructional Technology Plan survey on file with the New York State Education Department.

By checking this box, you certify that the school district has an approved District Instructional Technology Plan survey on file with the New York State Education Department.

☒ District Educational Technology Plan Submitted to SED and Approved

4. Pursuant to the requirements of the Smart Schools Bond Act, the planning process must include consultation with parents, teachers, students, community members, other stakeholders and any nonpublic schools located in the district.

By checking the boxes below, you are certifying that you have engaged with those required stakeholders.

☒ Parents

☒ Teachers

☒ Students

☒ Community members

5. Did your district contain nonpublic schools in 2014-15?

☐ Yes

☐ Yes, but they have all since closed, moved out of district or are declining use of SSBA funds

☒ No

6. Certify that the following required steps have taken place by checking the boxes below:

☒ The district developed and the school board approved a preliminary Smart Schools Investment Plan.

☒ The preliminary plan was posted on the district website for at least 30 days. The district included an address to which any written comments on the plan should be sent.

☒ The school board conducted a hearing that enabled stakeholders to respond to the preliminary plan. This hearing may have occurred as part of a normal Board meeting, but adequate notice of the event must have been provided through local media and the district website for at least two weeks prior to the meeting.

☒ The district prepared a final plan for school board approval and such plan has been approved by the school board.

☒ The final proposed plan that has been submitted has been posted on the district's website.

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

SSIP Overview

- 6a. Please upload the proposed Smart Schools Investment Plan (SSIP) that was posted on the district's website, along with any supporting materials. Note that this should be different than your recently submitted Educational Technology Survey. The Final SSIP, as approved by the School Board, should also be posted on the website and remain there during the course of the projects contained therein.

Final_Smart_Schools_Bond_Investment_Plans__2016-2019.pdf
Smart Schools Bond Investment Plans 2020.pdf

- 6b. Enter the webpage address where the final Smart Schools Investment Plan is posted. The Plan should remain posted for the life of the included projects.

www.camdenschools.org/tfiles/folder1365/Smart%20Schools%20Bond%20Investment%20Plans%20%202020.pdf

7. Please enter an estimate of the total number of students and staff that will benefit from this Smart Schools Investment Plan based on the cumulative projects submitted to date.

2,300

8. An LEA/School District may partner with one or more other LEA/School Districts to form a consortium to pool Smart Schools Bond Act funds for a project that meets all other Smart School Bond Act requirements. Each school district participating in the consortium will need to file an approved Smart Schools Investment Plan for the project and submit a signed Memorandum of Understanding that sets forth the details of the consortium including the roles of each respective district.

☐ The district plans to participate in a consortium to partner with other school district(s) to implement a Smart Schools project.

9. Please enter the name and 6-digit SED Code for each LEA/School District participating in the Consortium.

| Partner LEA/District | SED BEDS Code |
|----------------------|---------------|
| (No Response) | (No Response) |

10. Please upload a signed Memorandum of Understanding with all of the participating Consortium partners.

(No Response)

11. Your district's Smart Schools Bond Act Allocation is:

\$2,834,336

12. Final 2014-15 BEDS Enrollment to calculate Nonpublic Sharing Requirement

| | Public Enrollment | Nonpublic Enrollment | Total Enrollment | Nonpublic Percentage |
|------------|-------------------|----------------------|------------------|----------------------|
| Enrollment | 2,167 | 0 | 2,167.00 | 0.00 |

13. This table compares each category budget total, as entered in that category's page, to the total expenditures listed in the category's expenditure table. Any discrepancies between the two must be resolved before submission.

| | Sub-Allocations | Expenditure Totals | Difference |
|---------------------------------------|-----------------|--------------------|------------|
| School Connectivity | 72,000.00 | 72,000.00 | 0.00 |
| Connectivity Projects for Communities | 0.00 | 0.00 | 0.00 |
| Classroom Technology | 0.00 | 0.00 | 0.00 |
| Pre-Kindergarten Classrooms | 0.00 | 0.00 | 0.00 |
| Replace Transportable Classrooms | 0.00 | 0.00 | 0.00 |
| High-Tech Security Features | 1,612,940.00 | 1,612,940.00 | 0.00 |
| Nonpublic Loan | 0.00 | 0.00 | 0.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom NotificationSSIP Overview

| | | | |
|----------------|------------------|--------------------|------------|
| | Sub-Allocations | Expenditure Totals | Difference |
| Totals: | 1,684,940 | 1,684,940 | 0 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

School Connectivity

1. In order for students and faculty to receive the maximum benefit from the technology made available under the Smart Schools Bond Act, their school buildings must possess sufficient connectivity infrastructure to ensure that devices can be used during the school day. Smart Schools Investment Plans must demonstrate that:
 - sufficient infrastructure that meets the Federal Communications Commission's 100 Mbps per 1,000 students standard currently exists in the buildings where new devices will be deployed, or
 - is a planned use of a portion of Smart Schools Bond Act funds, or
 - is under development through another funding source.

Smart Schools Bond Act funds used for technology infrastructure or classroom technology investments must increase the number of school buildings that meet or exceed the minimum speed standard of 100 Mbps per 1,000 students and staff within 12 months. This standard may be met on either a contracted 24/7 firm service or a "burstable" capability. If the standard is met under the burstable criteria, it must be:

1. Specifically codified in a service contract with a provider, and
2. Guaranteed to be available to all students and devices as needed, particularly during periods of high demand, such as computer-based testing (CBT) periods.

Please describe how your district already meets or is planning to meet this standard within 12 months of plan submission.

Camden Central School receives broadband services through the Madison Oneida Regional Information Center. They subscribe for 1 gigabit throughput and currently exceed the minimum standard.

- 1a. If a district believes that it will be impossible to meet this standard within 12 months, it may apply for a waiver of this requirement, as described on the Smart Schools website. The waiver must be filed and approved by SED prior to submitting this survey.

☐ By checking this box, you are certifying that the school district has an approved waiver of this requirement on file with the New York State Education Department.

2. **Connectivity Speed Calculator (Required).** If the district currently meets the required speed, enter "Currently Met" in the last box: Expected Date When Required Speed Will be Met.

| | Number of Students | Required Speed in Mbps | Current Speed in Mbps | Expected Speed to be Attained Within 12 Months | Expected Date When Required Speed Will be Met |
|------------------|--------------------|------------------------|-----------------------|--|---|
| Calculated Speed | 2,250 | 225.00 | 1000 | 1000 | Currently Met |

3. **Describe how you intend to use Smart Schools Bond Act funds for high-speed broadband and/or wireless connectivity projects in school buildings.**

Camden Central has always made a priority of maintaining their network infrastructure. Using a combination of purchases through the Madison Oneida Information Center, Smart School projects, and Erate projects, the district has a robust wifi and hard wired network. With the application for the Emergency Notification Equipment included in section 6 of this application, the district anticipates the need for additional Power Over Ethernet switch capacity. They also wish to be proactive and be prepared for a wifi refresh and expansion in the very near future. The district proposes using a combination of Smart Schools funds and Federal Erate Category 2 funds to accomplish that goal.

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification**School Connectivity**

4. **Describe the linkage between the district's District Instructional Technology Plan and how the proposed projects will improve teaching and learning. (There should be a link between your response to this question and your responses to Question 1 in Section IV - NYSED Initiatives Alignment: "Explain how the district use of instructional technology will serve as a part of a comprehensive and sustained effort to support rigorous academic standards attainment and performance improvement for students.")**

Your answer should also align with your answers to the questions in Section II - Strategic Technology Planning and the associated Action Steps in Section III - Action Plan.)

Camden Central's Instructional Technology Plan has identified the establishment of a one-to-one learning environment as the primary goal. The opportunity for students to utilize technology any time or at any location that could improve their educational program and their academic success is the priority of technology integration.

Camden has successfully designed and constructed a wireless environment that is 100% saturated including the parking lots at the high school. This has been very valuable during the extended pandemic shutdown. Students had devices and the high school parking lot provided a location for students who live in rural areas without access to broadband to work remotely.

Camden wishes to continue to support this effort and the network demands of the safety and security efforts in the district buildings. Many of the security devices require Power over Ethernet support from the switching equipment.

5. **If the district wishes to have students and staff access the Internet from wireless devices within the school building, or in close proximity to it, it must first ensure that it has a robust Wi-Fi network in place that has sufficient bandwidth to meet user demand.**

Please describe how you have quantified this demand and how you plan to meet this demand.

Camden has had a successful process for maintaining their network environment. On a regular basis, the district instructional leadership meets with the technology planning staff, the BOCES network planning specialists, and the technology planners from their architecture team. This group reviews the academic requirements of the learning spaces in the district and the demands on the wireless and wired network in the district. This team makes long term recommendations for expansions and upgrades on the network infrastructure in all the buildings.

Upon review of this plan, the district makes purchases and installations of wireless and wired network resources.

6. **Smart Schools plans with any expenditures in the School Connectivity category require a project number from the Office of Facilities Planning. Districts must submit an SSBA LOI and receive project numbers prior to submitting the SSIP. As indicated on the LOI, some projects may be eligible for a streamlined review and will not require a building permit.**

Please indicate on a separate row each project number given to you by the Office of Facilities Planning.

| |
|-----------------------|
| Project Number |
| 41-06-01-04-7-999-BA3 |

7. **Certain high-tech security and connectivity infrastructure projects may be eligible for an expedited review process as determined by the Office of Facilities Planning.**

Was your project deemed eligible for streamlined review?

Yes

- 7a. **Districts that choose the Streamlined Review Process will be required to certify that they have reviewed all installations with their licensed architect or engineer of record and provide that person's name and license number. The licensed professional must review the products and proposed method of installation prior to implementation and review the work during and after completion in order to affirm that the work was code-compliant, if requested.**

☒ I certify that I have reviewed all installations with a licensed architect or engineer of record.

8. **Include the name and license number of the architect or engineer of record.**

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

School Connectivity

| Name | License Number |
|-----------------|----------------|
| Jeffrey Robbins | 35151 |

9. Public Expenditures – Loanable (Counts toward the nonpublic loan calculation)

| Select the allowable expenditure type. Repeat to add another item under each type. | PUBLIC Items to be Purchased | Quantity | Cost Per Item | Total Cost |
|---|-------------------------------------|---------------|---------------|------------|
| (No Response) | (No Response) | (No Response) | (No Response) | 0.00 |
| | | 0 | 0.00 | 0 |

10. Public Expenditures – Non-Loanable (Does not count toward nonpublic loan calculation)

| Select the allowable expenditure type. Repeat to add another item under each type. | PUBLIC Items to be purchased | Quantity | Cost per Item | Total Cost |
|---|-------------------------------------|-----------|-----------------|---------------|
| Network/Access Costs | Cisco 9200-48 POE switch | 18 | 3,500.00 | 63,000.00 |
| Professional Services | Installation of 9200-48 Switches | 18 | 500.00 | 9,000.00 |
| | | 36 | 4,000.00 | 72,000 |

11. Final 2014-15 BEDS Enrollment to calculate Nonpublic Sharing Requirement (no changes allowed.)

| | Public Enrollment | Nonpublic Enrollment | Total Enrollment | Nonpublic Percentage |
|------------|-------------------|----------------------|------------------|----------------------|
| Enrollment | 2,167 | 0 | 2,167.00 | 0.00 |

12. Total Public Budget - Loanable (Counts toward the nonpublic loan calculation)

| | Public Allocations | Estimated Nonpublic Loan Amount | Estimated Total Sub-Allocations |
|--|--------------------|---------------------------------|---------------------------------|
| Network/Access Costs | (No Response) | 0.00 | 0.00 |
| School Internal Connections and Components | (No Response) | 0.00 | 0.00 |
| Other | (No Response) | 0.00 | 0.00 |
| Totals: | 0.00 | 0 | 0 |

13. Total Public Budget – Non-Loanable (Does not count toward the nonpublic loan calculation)

| | Sub-Allocation |
|--|----------------|
| Network/Access Costs | 63,000.00 |
| Outside Plant Costs | 0.00 |
| School Internal Connections and Components | 0.00 |
| Professional Services | 9,000.00 |
| Testing | 0.00 |
| Other Upfront Costs | 0.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom NotificationSchool Connectivity

| | |
|----------------|--------------------|
| | Sub- Allocation |
| Other Costs | 0.00 |
| Totals: | 72,000.00 |

14. School Connectivity Totals

| | |
|--------------------------|-----------------------|
| | Total Sub-Allocations |
| Total Loanable Items | 0.00 |
| Total Non-loanable Items | 72,000.00 |
| Totals: | 72,000 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

Community Connectivity (Broadband and Wireless)

1. Describe how you intend to use Smart Schools Bond Act funds for high-speed broadband and/or wireless connectivity projects in the community.

(No Response)

2. Please describe how the proposed project(s) will promote student achievement and increase student and/or staff access to the Internet in a manner that enhances student learning and/or instruction outside of the school day and/or school building.

(No Response)

3. Community connectivity projects must comply with all the necessary local building codes and regulations (building and related permits are not required prior to plan submission).

☐ I certify that we will comply with all the necessary local building codes and regulations.

4. Please describe the physical location of the proposed investment.

(No Response)

5. Please provide the initial list of partners participating in the Community Connectivity Broadband Project, along with their Federal Tax Identification (Employer Identification) number.

| Project Partners | Federal ID # |
|------------------|---------------|
| (No Response) | (No Response) |

6. Please detail the type, quantity, per unit cost and total cost of the eligible items under each sub-category.

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|----------------------|---------------|---------------|------------|
| (No Response) | (No Response) | (No Response) | (No Response) | 0.00 |
| | | 0 | 0.00 | 0 |

7. If you are submitting an allocation for Community Connectivity, complete this table.

Note that the calculated Total at the bottom of the table must equal the Total allocation for this category that you entered in the SSIP Overview overall budget.

| | Sub-Allocation |
|-----------------------------|----------------|
| Network/Access Costs | (No Response) |
| Outside Plant Costs | (No Response) |
| Tower Costs | (No Response) |
| Customer Premises Equipment | (No Response) |
| Professional Services | (No Response) |
| Testing | (No Response) |
| Other Upfront Costs | (No Response) |
| Other Costs | (No Response) |
| Totals: | 0.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

Classroom Learning Technology

1. In order for students and faculty to receive the maximum benefit from the technology made available under the Smart Schools Bond Act, their school buildings must possess sufficient connectivity infrastructure to ensure that devices can be used during the school day. Smart Schools Investment Plans must demonstrate that sufficient infrastructure that meets the Federal Communications Commission's 100 Mbps per 1,000 students standard currently exists in the buildings where new devices will be deployed, or is a planned use of a portion of Smart Schools Bond Act funds, or is under development through another funding source. Smart Schools Bond Act funds used for technology infrastructure or classroom technology investments must increase the number of school buildings that meet or exceed the minimum speed standard of 100 Mbps per 1,000 students and staff within 12 months. This standard may be met on either a contracted 24/7 firm service or a "burstable" capability. If the standard is met under the burstable criteria, it must be:

1. Specifically codified in a service contract with a provider, and
2. Guaranteed to be available to all students and devices as needed, particularly during periods of high demand, such as computer-based testing (CBT) periods.

Please describe how your district already meets or is planning to meet this standard within 12 months of plan submission.

(No Response)

- 1a. If a district believes that it will be impossible to meet this standard within 12 months, it may apply for a waiver of this requirement, as described on the Smart Schools website. The waiver must be filed and approved by SED prior to submitting this survey.

☐ By checking this box, you are certifying that the school district has an approved waiver of this requirement on file with the New York State Education Department.

2. **Connectivity Speed Calculator (Required).** If the district currently meets the required speed, enter "Currently Met" in the last box: Expected Date When Required Speed Will be Met.

| | Number of Students | Required Speed in Mbps | Current Speed in Mbps | Expected Speed to be Attained Within 12 Months | Expected Date When Required Speed Will be Met |
|------------------|--------------------|------------------------|-----------------------|--|---|
| Calculated Speed | (No Response) | 0.00 | (No Response) | (No Response) | (No Response) |

3. If the district wishes to have students and staff access the Internet from wireless devices within the school building, or in close proximity to it, it must first ensure that it has a robust Wi-Fi network in place that has sufficient bandwidth to meet user demand.

Please describe how you have quantified this demand and how you plan to meet this demand.

(No Response)

4. All New York State public school districts are required to complete and submit an Instructional Technology Plan survey to the New York State Education Department in compliance with Section 753 of the Education Law and per Part 100.12 of the Commissioner's Regulations.

Districts that include educational technology purchases as part of their Smart Schools Investment Plan must have a submitted and approved Instructional Technology Plan survey on file with the New York State Education Department.

☐ By checking this box, you are certifying that the school district has an approved Instructional Technology Plan survey on file with the New York State Education Department.

5. Describe the devices you intend to purchase and their compatibility with existing or planned platforms or systems. Specifically address the adequacy of each facility's electrical, HVAC and other infrastructure necessary to install and support the operation of the planned technology.

(No Response)

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom NotificationClassroom Learning Technology

6. Describe how the proposed technology purchases will:
- > enhance differentiated instruction;
 - > expand student learning inside and outside the classroom;
 - > benefit students with disabilities and English language learners; and
 - > contribute to the reduction of other learning gaps that have been identified within the district.

The expectation is that districts will place a priority on addressing the needs of students who struggle to succeed in a rigorous curriculum. Responses in this section should specifically address this concern and align with the district's Instructional Technology Plan (in particular Question 2 of E. Curriculum and Instruction: "Does the district's instructional technology plan address the needs of students with disabilities to ensure equitable access to instruction, materials and assessments?" and Question 3 of the same section: "Does the district's instructional technology plan address the provision of assistive technology specifically for students with disabilities to ensure access to and participation in the general curriculum?")

In addition, describe how the district ensures equitable access to instruction, materials and assessments and participation in the general curriculum for both SWD and English Language Learners/Multilingual Learners (ELL/MLL) students.

(No Response)

7. Where appropriate, describe how the proposed technology purchases will enhance ongoing communication with parents and other stakeholders and help the district facilitate technology-based regional partnerships, including distance learning and other efforts.

(No Response)

8. Describe the district's plan to provide professional development to ensure that administrators, teachers and staff can employ the technology purchased to enhance instruction successfully.

Note: This response should be aligned and expanded upon in accordance with your district's response to Question 1 of F. Professional Development of your Instructional Technology Plan: "Please provide a summary of professional development offered to teachers and staff, for the time period covered by this plan, to support technology to enhance teaching and learning. Please include topics, audience and method of delivery within your summary."

(No Response)

9. Districts must contact one of the SUNY/CUNY teacher preparation programs listed on the document on the left side of the page that supplies the largest number of the district's new teachers to request advice on innovative uses and best practices at the intersection of pedagogy and educational technology.

☐ By checking this box, you certify that you have contacted the SUNY/CUNY teacher preparation program that supplies the largest number of your new teachers to request advice on these issues.

- 9a. Please enter the name of the SUNY or CUNY Institution that you contacted.

(No Response)

- 9b. Enter the primary Institution phone number.

(No Response)

- 9c. Enter the name of the contact person with whom you consulted and/or will be collaborating with on innovative uses of technology and best practices.

(No Response)

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

Classroom Learning Technology

10. To ensure the sustainability of technology purchases made with Smart Schools funds, districts must demonstrate a long-term plan to maintain and replace technology purchases supported by Smart Schools Bond Act funds. This sustainability plan shall demonstrate a district's capacity to support recurring costs of use that are ineligible for Smart Schools Bond Act funding such as device maintenance, technical support, Internet and wireless fees, maintenance of hotspots, staff professional development, building maintenance and the replacement of incidental items. Further, such a sustainability plan shall include a long-term plan for the replacement of purchased devices and equipment at the end of their useful life with other funding sources.

☐ By checking this box, you certify that the district has a sustainability plan as described above.

11. Districts must ensure that devices purchased with Smart Schools Bond funds will be distributed, prepared for use, maintained and supported appropriately. Districts must maintain detailed device inventories in accordance with generally accepted accounting principles.

☐ By checking this box, you certify that the district has a distribution and inventory management plan and system in place.

12. Please detail the type, quantity, per unit cost and total cost of the eligible items under each sub-category.

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be Purchased | Quantity | Cost per Item | Total Cost |
|---|----------------------|---------------|---------------|------------|
| (No Response) | (No Response) | (No Response) | (No Response) | 0.00 |
| | | 0 | 0.00 | 0 |

13. Final 2014-15 BEDS Enrollment to calculate Nonpublic Sharing Requirement (no changes allowed.)

| | Public Enrollment | Nonpublic Enrollment | Total Enrollment | Nonpublic Percentage |
|------------|-------------------|----------------------|------------------|----------------------|
| Enrollment | 2,167 | 0 | 2,167.00 | 0.00 |

14. If you are submitting an allocation for Classroom Learning Technology complete this table.

| | Public School Sub-Allocation | Estimated Nonpublic Loan Amount (Based on Percentage Above) | Estimated Total Public and Nonpublic Sub-Allocation |
|-------------------------|------------------------------|--|---|
| Interactive Whiteboards | (No Response) | 0.00 | 0.00 |
| Computer Servers | (No Response) | 0.00 | 0.00 |
| Desktop Computers | (No Response) | 0.00 | 0.00 |
| Laptop Computers | (No Response) | 0.00 | 0.00 |
| Tablet Computers | (No Response) | 0.00 | 0.00 |
| Other Costs | (No Response) | 0.00 | 0.00 |
| Totals: | 0.00 | 0 | 0 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

Pre-Kindergarten Classrooms

1. Provide information regarding how and where the district is currently serving pre-kindergarten students and justify the need for additional space with enrollment projections over 3 years.

(No Response)

2. Describe the district's plan to construct, enhance or modernize education facilities to accommodate pre-kindergarten programs. Such plans must include:

- Specific descriptions of what the district intends to do to each space;
- An affirmation that new pre-kindergarten classrooms will contain a minimum of 900 square feet per classroom;
- The number of classrooms involved;
- The approximate construction costs per classroom; and
- Confirmation that the space is district-owned or has a long-term lease that exceeds the probable useful life of the improvements.

(No Response)

3. Smart Schools Bond Act funds may only be used for capital construction costs. Describe the type and amount of additional funds that will be required to support ineligible ongoing costs (e.g. instruction, supplies) associated with any additional pre-kindergarten classrooms that the district plans to add.

(No Response)

4. All plans and specifications for the erection, repair, enlargement or remodeling of school buildings in any public school district in the State must be reviewed and approved by the Commissioner. Districts that plan capital projects using their Smart Schools Bond Act funds will undergo a Preliminary Review Process by the Office of Facilities Planning.

Please indicate on a separate row each project number given to you by the Office of Facilities Planning.

| |
|----------------|
| Project Number |
| (No Response) |

5. Please detail the type, quantity, per unit cost and total cost of the eligible items under each sub-category.

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|----------------------|---------------|---------------|------------|
| (No Response) | (No Response) | (No Response) | (No Response) | 0.00 |
| | | 0 | 0.00 | 0 |

6. If you have made an allocation for Pre-Kindergarten Classrooms, complete this table.

Note that the calculated Total at the bottom of the table must equal the Total allocation for this category that you entered in the SSIP Overview overall budget.

| | Sub-Allocation |
|--|----------------|
| Construct Pre-K Classrooms | (No Response) |
| Enhance/Modernize Educational Facilities | (No Response) |
| Other Costs | (No Response) |
| Totals: | 0.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification**Replace Transportable Classrooms**

1. Describe the district's plan to construct, enhance or modernize education facilities to provide high-quality instructional space by replacing transportable classrooms.

(No Response)

2. All plans and specifications for the erection, repair, enlargement or remodeling of school buildings in any public school district in the State must be reviewed and approved by the Commissioner. Districts that plan capital projects using their Smart Schools Bond Act funds will undergo a Preliminary Review Process by the Office of Facilities Planning.

Please indicate on a separate row each project number given to you by the Office of Facilities Planning.

| |
|----------------|
| Project Number |
| (No Response) |

3. For large projects that seek to blend Smart Schools Bond Act dollars with other funds, please note that Smart Schools Bond Act funds can be allocated on a pro rata basis depending on the number of new classrooms built that directly replace transportable classroom units.

If a district seeks to blend Smart Schools Bond Act dollars with other funds describe below what other funds are being used and what portion of the money will be Smart Schools Bond Act funds.

(No Response)

4. Please detail the type, quantity, per unit cost and total cost of the eligible items under each sub-category.

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|----------------------|---------------|---------------|------------|
| (No Response) | (No Response) | (No Response) | (No Response) | 0.00 |
| | | 0 | 0.00 | 0 |

5. If you have made an allocation for Replace Transportable Classrooms, complete this table.
Note that the calculated Total at the bottom of the table must equal the Total allocation for this category that you entered in the SSIP Overview overall budget.

| | |
|--|----------------|
| | Sub-Allocation |
| Construct New Instructional Space | (No Response) |
| Enhance/Modernize Existing Instructional Space | (No Response) |
| Other Costs | (No Response) |
| Totals: | 0.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification**High-Tech Security Features****1. Describe how you intend to use Smart Schools Bond Act funds to install high-tech security features in school buildings and on school campuses.**

Camden Central Schools believes that there are multiple components to a plan to maintain a safe learning environment. These components help provide our students with a safe and secure environment for learning.

In the event of an emergency, Camden believes that getting the correct information to the correct people or groups of people is a critical need. In previous plans the district has made an effort to improve direct school communication with individuals in specific classrooms.

The first effort in this plan, Camden Central wishes to improve the emergency communication to large groups of students and teachers. Currently, all classrooms depend on an analog classroom notification system that was installed many years ago. The system has been extended and stretched until it is not as reliable as it must be. Communication with classrooms or public areas of the school is no longer reliable and makes the district vulnerable in the event of an emergency. Camden wishes to install an IP based system of audio and digital displays in all classrooms and public gathering spaces. These units include a digital display where pre-loaded messages can scroll across a screen if necessary. Additionally, the system contains a 5 amp speaker system to generate IP provided audio messages when necessary. Unlike analog systems that share a large amplifier and split the signal as it travels to rooms, this system generates the messages in every unit providing a strong, reliable message system in all areas of the school. Finally, the system includes multicolored lights that can flash or stay on to attract attention when an emergency occurs.

This system combined with the teacher focused classroom communication system from a previous plan provides the district with a reliable communication system in the event of an emergency.

The second effort in this plan is to upgrade the main entrances at the two elementary schools. The effort at these buildings includes installing a security window and lock controls for both the exterior doors and the interior doors of Camden and McConnellsville Elementary building entrances. A visitor will enter the first set of doors and then will be greeted by a staff member located behind a secure window. The interior set of doors is locked and will only be unlocked when the visitor has produced proper ID and a reason for visiting the building. A visitor that doesn't have proper ID or a valid reason for being in the buildings will not be allowed to proceed through the interior locked doors.

The final effort in this application is the installation of electronic hold open devices on classroom doors at McConnellsville and Camden Elementary Schools. Each classroom will have an electronic unit that holds their classroom doors open when the teacher chooses. In the event of an emergency in the building a panic button can be activated and all of the classroom doors that are open will immediately close and limit any access to the classrooms.

2. All plans and specifications for the erection, repair, enlargement or remodeling of school buildings in any public school district in the State must be reviewed and approved by the Commissioner. Smart Schools plans with any expenditures in the High-Tech Security category require a project number from the Office of Facilities Planning. Districts must submit an SSBA LOI and receive project numbers prior to submitting the SSIP. As indicated on the LOI, some projects may be eligible for a streamlined review and will not require a building permit. Please indicate on a separate row each project number given to you by the Office of Facilities Planning.

| |
|-----------------------|
| Project Number |
| 41-06-01-04-7-999-003 |

3. Was your project deemed eligible for streamlined Review?

- ☐ Yes
☒ No

4. Include the name and license number of the architect or engineer of record.

| | |
|-----------------|----------------|
| Name | License Number |
| Jeffrey Robbins | 35151 |

5. Please detail the type, quantity, per unit cost and total cost of the eligible items under each sub-category.

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

High-Tech Security Features

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|---|----------|---------------|------------|
| Electronic Security System | Unity: 12x12x4in Screw Cover Enc w/KO's and Perforated Back-Plate | 14 | 65.00 | 910.00 |
| Electronic Security System | Advanced Network Devices: Zone Controller, IP Endpoint with Analog Audio Out, Local Mic Input, GPIO Trigger Capabilities, PoE/SIP | 14 | 618.00 | 8,652.00 |
| Electronic Security System | Valcom: Dynamic Desk Paging Microphone | 4 | 167.00 | 668.00 |
| Electronic Security System | Barix: Barionet 50, Prog I/O Device Server w/Web Server, Modbus/TCP and SNMP, 2 Serial Ports, 4 DI, 4 DO | 17 | 192.00 | 3,264.00 |
| Electronic Security System | Mid Atlantic: Forward Small Device Mounting Clamps, 4-pack | 11 | 15.00 | 165.00 |
| Electronic Security System | Mid Atlantic: WM Series Wall Mount Rack, 18 | 11 | 231.00 | 2,541.00 |
| Electronic Security System | Mid Atlantic: Rackmount Power, 9 Outlet, 15A, Basic Surge, Pilot Light | 11 | 156.00 | 1,716.00 |
| Electronic Security System | Mid Atlantic: UFA Rackshelf, 1RU, 14.5 | 11 | 65.00 | 715.00 |
| Electronic Security System | Advanced Network Devices: IP Zone Controller Module, Line Out, Informacast Enabled | 22 | 483.00 | 10,626.00 |
| Electronic Security System | AtlasIED: 40W Single Channel Power Amplifier with Global Power Supply | 14 | 241.00 | 3,374.00 |
| Electronic Security System | AtlasIED: Rack Mount Kit for Half Width Rack Amplifier Units | 25 | 29.00 | 725.00 |
| Electronic Security System | AtlasIED: 60W Single Channel Power Amplifier with Global Power Supply | 5 | 324.00 | 1,620.00 |
| Electronic Security System | AtlasIED: 100W Single Channel Pole Mount Amplifier | 6 | 420.00 | 2,520.00 |
| Electronic Security System | RDL: Stick-On Series Distribution Amplifier, 1x3 | 2 | 200.00 | 400.00 |
| Electronic Security System | RDL: 24 Vdc Switching Power Supply, North American AC Plug, 500 mA, dc Plug | 2 | 32.00 | 64.00 |
| Electronic Security System | RDL: Rear rack rail mounting kit for any STICK-ON module | 2 | 28.00 | 56.00 |
| Electronic Security System | Bogen: Ceiling Speaker, Drop-In, 2' x 2', 25/70V, Bright White | 221 | 84.00 | 18,564.00 |
| Electronic Security System | Bogen: Ceiling Speaker, Drop-In, 2' x 2', 25/70V, w/Volume Control, Bright | 47 | 116.00 | 5,452.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

High-Tech Security Features

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|---|----------|---------------|------------|
| | White | | | |
| Electronic Security System | Bogen: 15-Watt Flange-mounted Reentrant Type Horn, 70/25V | 124 | 110.00 | 13,640.00 |
| Electronic Security System | Bogen: Heavy Duty Grille, White, Use with BBFM6, BBSM6 | 124 | 43.00 | 5,332.00 |
| Electronic Security System | Bogen: Adapter Ring, Fits FMH15T to SGHD8 | 124 | 26.00 | 3,224.00 |
| Electronic Security System | Bogen: Surface-mount Enclosure, White, for FMH15T | 124 | 57.00 | 7,068.00 |
| Electronic Security System | Bogen: Metal Box Speaker, 8 | 44 | 58.00 | 2,552.00 |
| Electronic Security System | Bogen: Ceiling Speaker, Drop-In, 2' x 2', 8-Ohm, Bright White | 101 | 83.00 | 8,383.00 |
| Electronic Security System | AtlasIED: 8 | 27 | 43.00 | 1,161.00 |
| Electronic Security System | AtlasIED: 11 1/2 | 27 | 38.00 | 1,026.00 |
| Electronic Security System | Advanced Network Devices: IP Clock with Flashers (Large), 2-way Audio, PoE/SIP, 28in long overall, SS construction, Includes Enclosure | 62 | 1,236.00 | 76,632.00 |
| Electronic Security System | Leviton: eXtreme Cat6 QuickPort Jack, White | 335 | 9.00 | 3,015.00 |
| Electronic Security System | Leviton: Surface Mount QuickPort Box, Plenum Rated, 1-Port, White | 335 | 2.00 | 670.00 |
| Electronic Security System | Tripp Lite: 10ft Cat6 Gb Snagless Molded UTP Patch Cable, Orange | 327 | 9.00 | 2,943.00 |
| Electronic Security System | Tripp Lite: 3ft Cat6 Gb Snagless Molded UTP Patch Cable, Orange | 327 | 5.00 | 1,635.00 |
| Electronic Security System | Advanced Network Devices: IP Extra Large Signboard with Flashers, 2-way Audio, PoE/SIP, 51.92in long overall, SS construction, Includes Enclosure | 16 | 1,797.00 | 28,752.00 |
| Electronic Security System | Avigilon: Single port Gigabit 802.3at PoE Plus injector, Class 4 - NA power cord | 16 | 66.00 | 1,056.00 |
| Electronic Security System | American Wire Guards: 52 | 12 | 150.00 | 1,800.00 |
| Electronic Security System | Advanced Network Devices: IP Speaker with Display and Flashers, 2-way Audio, PoE/SIP, Enclosure Not Included | 249 | 932.00 | 232,068.00 |
| Electronic Security System | Advanced Network Devices: Surface Mount Enclosure for IPSWD Models | 249 | 56.00 | 13,944.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

High-Tech Security Features

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|--|----------|---------------|------------|
| Electronic Security System | Altronix: NAC Power Extender, 4 A @ 120 Vac In, 2.5 A @ 24 Vdc per Output, on-board strobe sync | 10 | 287.00 | 2,870.00 |
| Electronic Security System | Powersonic: 12 Vdc 7 AH Battery | 36 | 18.00 | 648.00 |
| Electronic Security System | System Sensor: SpectraAlert Advance Outdoor Plain White Strobe, Wall Mount, Clear Lens, High Candela, 12/24 Vdc | 44 | 71.00 | 3,124.00 |
| Electronic Security System | System Sensor: Blue Lens for SpectraAlert Advance Wall Mount Strobes | 44 | 9.00 | 396.00 |
| Electronic Security System | STI: Yellow Stopper Station, Indoor Only, Flush or Surface Mount, Button w/Cover, Momentary, Non-Illuminated, Lockdown Label | 18 | 82.00 | 1,476.00 |
| Electronic Security System | STI: Yellow Stopper Station, Indoor Only, Flush or Surface Mount, Button w/Cover, Momentary, Non-Illuminated, Lockdown Label | 18 | 17.00 | 306.00 |
| Electronic Security System | Siemens: 24x36in Panel Enclosure, Hinged Door | 24 | 334.00 | 8,016.00 |
| Electronic Security System | Altronix: Offline Switching Power Supply, 115 Vac, 24 Vdc 12 A Output, with AC Fail & Low Battery Alarm | 4 | 327.00 | 1,308.00 |
| Electronic Security System | Tripp Lite: 1ft Cat6 Gb Snagless Molded UTP Patch Cable, Orange | 8 | 5.00 | 40.00 |
| Electronic Security System | Avigilon: 2-Door Intelligent Controller, 8 In, 4 Relay Outputs, 12-24Vdc, RS485 (Replaces 2DR) | 4 | 1,097.00 | 4,388.00 |
| Electronic Security System | Bosch: Intrusion Detection Control Panel, PC Board Only, Replacement for B series | 4 | 631.00 | 2,524.00 |
| Electronic Security System | Bosch: DUAL BATTERY HARNESS FOR BOSCH G SERIES | 4 | 9.00 | 36.00 |
| Electronic Security System | Bosch: 8 Relay Module for SDI2, Form C, 1 A @ 5-24 Vdc, Modular Interconnect | 4 | 108.00 | 432.00 |
| Electronic Security System | Bosch: Plug-In Telephone Communicator | 4 | 49.00 | 196.00 |
| Electronic Security System | Revere Industries: UL RJ31X Block and Cable Kit | 4 | 3.00 | 12.00 |
| Electronic Security System | Bosch: ATM Style Alpha-Numeric | 4 | 172.00 | 688.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

High-Tech Security Features

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|---|----------|---------------|------------|
| | Keypad, SDI2 Bus, 80 mA In-Alarm (req. V2.00 G-Series Panel) | | | |
| Electronic Security System | Hammond Manufacturing: Class 2 Energy Limiting Small Box Mount Transformer, 40VA, 120Vac In, 16.5Vac @ 2.42A | 4 | 24.00 | 96.00 |
| Electronic Security System | Bosch: Keypad Trim Bezel for B930 Keypad | 4 | 10.00 | 40.00 |
| Electronic Security System | Bosch: Tamper Switch, 2/pkg for D8103 Universal or D8108A Attack Resistant Enclosure | 4 | 7.00 | 28.00 |
| Electronic Security System | Bosch: Tamper Switch, 2/pkg for D8103 Universal or D8108A Attack Resistant Enclosure | 4 | 305.00 | 1,220.00 |
| Electronic Security System | Day Automation: Monitoring - 1-year | 4 | 206.00 | 824.00 |
| Electronic Security System | Singlewire: InformaCast Advanced Notification - Endpoint Licensing - 250 License Bundle (includes first 90 Days of maintenance) | 1 | 6,683.00 | 6,683.00 |
| Electronic Security System | Singlewire: 1 Year Maintenance - Per Endpoint License - TIER B (Qty 250 - 950) | 250 | 7.00 | 1,750.00 |
| Electronic Security System | Singlewire: InformaCast Advanced Notification - Endpoint Licensing - 50 License Bundle (includes first 90 Days of maintenance) | 2 | 1,975.00 | 3,950.00 |
| Electronic Security System | Singlewire: InformaCast Advanced Notification - Endpoint Licensing - 50 License Bundle (includes first 90 Days of maintenance) | 100 | 10.00 | 1,000.00 |
| Electronic Security System | Singlewire: InformaCast Mobile - 1 Year Subscription - TIER 1 | 250 | 5.00 | 1,250.00 |
| Electronic Security System | Singlewire: One-Time Onboarding Fee - TIER 1 | 1 | 5,454.00 | 5,454.00 |
| Electronic Security System | Singlewire: InformaCast Advanced Server Physical Appliance | 1 | 989.00 | 989.00 |
| Electronic Security System | Bogen: Metal Box Speaker, 8 | 4 | 58.00 | 232.00 |
| Electronic Security System | System Installation | 1 | 591,931.00 | 591,931.00 |
| Other Costs | Professional Services for Engineering/Programming/Proj Management/Checkout | 1 | 173,000.00 | 173,000.00 |
| Other Costs | Architect Fees | 1 | 91,000.00 | 91,000.00 |

Smart Schools Investment Plan - Revised - Supplement 3 Emergency Classroom Notification

High-Tech Security Features

| Select the allowable expenditure type. Repeat to add another item under each type. | Item to be purchased | Quantity | Cost per Item | Total Cost |
|---|---|--------------|---------------------|------------------|
| Other Costs | Construction Contingencies | 1 | 49,000.00 | 49,000.00 |
| Capital-Intensive Security Project | Entrance Demolition | 2 | 4,000.00 | 8,000.00 |
| Capital-Intensive Security Project | Elementary Security Windows | 2 | 2,500.00 | 5,000.00 |
| Capital-Intensive Security Project | Elementary Aluminum Door Interior | 2 | 19,500.00 | 39,000.00 |
| Capital-Intensive Security Project | Elementary Aluminum Door Exterior | 2 | 5,000.00 | 10,000.00 |
| Capital-Intensive Security Project | Elementary Door Electrical Modification | 2 | 11,000.00 | 22,000.00 |
| Capital-Intensive Security Project | Elementary Door Intercom system | 2 | 5,000.00 | 10,000.00 |
| Capital-Intensive Security Project | Elementary Data Installation | 2 | 1,500.00 | 3,000.00 |
| Capital-Intensive Security Project | Elementary Entrance Security Desk Unit | 2 | 2,000.00 | 4,000.00 |
| Capital-Intensive Security Project | Elementary Entrance Incidental Expenses | 2 | 10,050.00 | 20,100.00 |
| Capital-Intensive Security Project | Elementary Entrance Architecture fees | 2 | 12,000.00 | 24,000.00 |
| Capital-Intensive Security Project | Elementary Entrance Contingency | 2 | 5,750.00 | 11,500.00 |
| Electronic Security System | Elementary Magnetic Door Holders | 69 | 500.00 | 34,500.00 |
| | | 4,020 | 1,010,869.00 | 1,612,940 |

6. If you have made an allocation for High-Tech Security Features, complete this table.
Enter each Sub-category Public Allocation based on the the expenditures listed in Table #5.

| | Sub-Allocation |
|--|---------------------|
| Capital-Intensive Security Project (Standard Review) | 156,600.00 |
| Electronic Security System | 1,143,340.00 |
| Entry Control System | 0.00 |
| Approved Door Hardening Project | 0.00 |
| Other Costs | 313,000.00 |
| Totals: | 1,612,940.00 |